

# KG Lighting®

L'ère du luminaire




## Garden Lighting

[www.elecmar.ma](http://www.elecmar.ma)

# Garden Lighting



**KG** Lighting  
L'ère du luminaire



Model : Bornes 1x8W COB 3102RH-80  
Gris KG



Model : Applique LED 4,8W 280Lm  
13902-1000 3000K



Model : Bornes 1x8W COB 3231-80  
Gris KG

Model : Poteau LED 4,8W 280Lm  
13902-600 3000K Gris foncé



Model : Poteau LED 4,8W 280Lm  
13902-1000 3000K Gris foncé



6078S-0.8




Model : Poteau LED A/DETEC 6W 420Lm  
18604-600 3000K



Model : Poteau LED 1m  
9W 600Lm 19202-1000 3000K Gris foncé



Model : Poteau LED 1m  
6W 420Lm 18602-1000 3000K Gris foncé



Aluminium die-casting Body  
Glass diffuser  
IP54 230V 50Hz  
E27 1x 18W



3461




13461




3232



2301



Stainless Steel Body  
Diffuser : PC cover  
IP54 230V 50Hz  
LED 24x0.5W  
E27 1x max 18W or  
E27 max 100W




3132



2391




Stainless Steel Body  
Diffuser : PC cover  
IP54 230V 50Hz  
E27 max 60W





2202

Aluminium die-casting Body  
Diffuser : PC cover  
IP54 230V 50Hz  
E27 max 18W or  
E27 max 60W



2204



2091S



2092S





2093S




2094S

Aluminium die-casting Body  
Diffuser : PC cover  
IP54 230V 50Hz  
E27 max 18W or  
E27 max 60W



1763



2062



Aluminium die-casting Body  
Diffuser : PC cover  
IP54 230V 50Hz  
E27 max 18W or  
E27 max 100W




3061-1000H



3064



3031-1000H



3031





Model : ST0308-001  
LED IP54 3000K 7W



Model : ST0307-001  
LED IP54 3000K 5W



Model : ST0308-002  
LED IP54 3000K 7W



Model : ST0306-002  
LED IP54 3000K 5W



Model : ST0302-003  
LED IP65 3000K 12W



Model : ST0302-005  
LED IP65 3000K 12W



Model : ST0302-002  
LED IP65 3000K 12W



Model : ST0302-004  
LED IP65 3000K 12W



Model : ST0303-001  
LED IP65 3000K 12W




Model : ST0303-002  
LED IP65 3000K 12W

Model : ST0303-004  
LED IP65 3000K 12W





Model : ST0303-003  
LED IP65 3000K 12W





Stainless Steel Body  
Glass diffuser  
IP44 230V 50Hz  
GU10 max 1 x 35W




1141




1142

Stainless Steel Body  
Glass diffuser  
IP44 230V 50Hz  
GU10 max 2 x 35W



1071




1111





1114



1115




Stainless Steel Body  
Glass diffuser  
IP44 230V 50Hz  
GU10 max 2 x 35W





1472



Aluminium die-casting body  
Diffuser : PC  
IP54 230V 50Hz  
6W SMD LED  
380LM With ERP



1473



Aluminium die-casting body  
Diffuser : PC  
IP54 230V 50Hz  
6W SMD LED  
380LM With ERP




1151S



Aluminium die-casting Body  
Glass diffuser  
IP44 230V 50Hz  
E27 max 9W



Aluminium die-casting Body  
Glass diffuser  
IP44 230V 50Hz  
LED 24x0.5W  
E27 max 2x13W



1152S



1171M




Aluminium die-casting Body  
Glass diffuser  
IP54 230V 50Hz  
LED 24x0.5W  
E27 max 1x13W







5006



5006-2




5006S0.5



Stainless Steel Body  
Diffuser : PC cover  
IP44 230V 50Hz  
GU10 max 11W or LED Bulb



6092A-2



6092AS0.5

Die-Cast Aluminium body  
Diffuser : PC  
IP44 230V 50Hz  
7W SMD LED Ra > 80  
630LM With ERP





10W-1



Stainless Steel Body  
Diffuser : PC cover  
IP44 230V 50Hz  
E27 max 60W



10S0.8-1



KG 270  
E27.MAX.100W

Stainless Steel Body  
Diffuser : PC cover  
IP44 230V 50Hz  
E27 max 100W



KG 264A  
E27.MAX.100W




KG 590  
E27.MAX.100W




KG 591  
E27.MAX.100W




16PWB



Aluminium die-casting body  
Diffuser : PC cover  
IP54 230V 50Hz  
E27 max 18W



Aluminium die-casting body  
Diffuser : PC cover  
IP54 230V 50Hz  
E27 max 18W




2563



2563S0.5



Aluminium die-casting body  
Diffuser : PC cover  
IP44 230V 50Hz  
E27 max 60W



10WB





10WB-3

10W




10S0.5-3





123WB

Stainless Steel Body  
Diffuser : PC cover  
IP44 230V 50Hz  
GU10 max 35W




6615

Stainless Steel Body  
Diffuser : PC  
IP44 230V 50Hz  
7W SMD LED Ra > 80  
630LM With ERP



6614

Aluminium die-casting body  
Diffuser : PC  
IP54 230V 50Hz  
12W SMD LED  
380LM With ERP



5271

Aluminium die-casting body  
Diffuser : PC  
IP54 230V 50Hz  
12W SMD LED  
380LM With ERP




11403



15271

Aluminium die-casting body  
Diffuser : PC  
IP44 230V 50Hz  
SMD LED



1775



KG862AS  
12 PCS LED



KG862DS  
12 PCS LED




KG918  
12 PCS LED



1 LED max 0.12W 220-240V IP44




6676




6677

Stainless Steel Body  
Diffuser : PC cover  
IP44 230V 50Hz  
E27 2x max 15W or  
E27 max 15W



2006



2007

Stainless Steel Body  
Diffuser : PC cover  
IP44 230V 50Hz  
E27 max 60W



158RE27







2526



2526 PIR




2526



2526PIR

Stainless Steel Body  
Diffuser : PC cover  
IP44 230V 50Hz  
E27 max 60W




1602 LED SMD 12W




Aluminium die-casting body  
Diffuser : PC  
IP44 230V 50Hz  
SMD LED



KG835 SWU  
16LED



KG835 SAWU  
16LED



KG835 SPSHO.3  
16LED



KG835 SPSHO.5  
16LED





1392/1392L



1391/1391L




1393/1393L





1394/1394L

Aluminium die-casting body  
Glass diffuser  
IP54 230V 50Hz  
LED 1x3W/1x6W - 2x3W / 2x5W  
380LM With ERP




1801



1802



1803



Aluminium die-casting body  
Glass diffuser  
IP54 230V 50Hz  
LED 2x3W/4x3W/6x1W





1562




1721



5351



1812L




Aluminium die-casting body  
Glass diffuser  
IP54 230V 50Hz  
LED SMD 13W  
380LM With ERP



SMD LED Incl	With ERP	RoHS	±3000K
IP54	380 Lumen		



1712




1711



1742 white



1743 white




Aluminium die-casting body  
Glass diffuser  
IP54 230V 50Hz  
LED SMD 13W  
380LM With ERP




SMD LED Incl	With ERP	RoHS	±3000K
IP54	380 Lumen		





1671





Die-Cast Aluminium body  
Diffuser : PC  
IP44 230V 50Hz  
13W SMD LED Ra> 80  
480 LM With ERP



2548

Stainless Steel Body  
Diffuser : PC cover  
IP44 230V 50Hz  
E27 max 60W



2548S0.8



2544



2544S0.8





Model : Applique 4x1W LED  
1341



Die-Cast Aluminium body  
Diffuser : PC  
IP44 230V 50Hz  
7W SMD LED Ra > 80  
630LM With ERP



13W



13WB



13S0.5




Stainless Steel Body  
Diffuser : PC cover  
IP44 230V 50Hz  
E27 max 60W







5005




Stainless Steel Body  
Diffuser : PC cover  
IP44 230V 50Hz  
GU10 max 11W or LED Bulb



6628


Die-Cast Aluminium body  
Diffuser : PC  
IP44 230V 50Hz  
7W SMD LED Ra > 80  
630LM With ERP



91WB





Stainless Steel Body  
Diffuser : PC cover  
IP44 230V 50Hz  
E27 max 60W




91S0.5/0.8



Stainless Steel Body  
Diffuser : PC cover  
IP44 230V 50Hz  
E27 2x max 15W or  
E27 max 15W



2501




2571




2571



Stainless Steel Body  
Diffuser : PC cover  
IP44 230V 50Hz  
E27 2x max 15W or  
E27 max 15W



355QE27-4



7001WB




7001WB Black+Green



7001WB Black

Stainless Steel Body  
Diffuser : PC cover  
IP44 230V 50Hz  
E27 max 60W



7001S Black+Green




7001S




7001S Black



2575A




2575



3521



Stainless Steel Body  
Diffuser : PC cover  
IP44 230V 50Hz  
E27 max 60W




2575C



2575S0.5



Stainless Steel Body  
Diffuser : PC cover  
IP44 230V 50Hz  
E27 max 60W



2283 Noir



2285 Blanc



3321



3322




13321



33331

Aluminium die-casting body  
Diffuser : PC cover  
IP54 230V 50Hz  
E27 max 60W





IP54



AT1701  
Blanc, Noir, Vert Antique

AT1704  
Blanc, Noir, Vert Antique

Aluminium die-casting body  
Diffuser : PC cover  
IP54 230V 50Hz  
E27 max 60W



IP54



AT1705  
Blanc, Noir, Vert Antique



AT1708  
Blanc, Noir, Vert Antique




**AT1611 Deux Lampe**  
Blanc, Noir, Vert Antique



**AT1611 Trois Lampe**  
Blanc, Noir, Vert Antique

Aluminium die-casting body  
Diffuser : PC cover  
IP54 230V 50Hz  
E27 max 60W



IP54



**AT1607**  
Blanc, Noir, Vert Antique




**AT1608**  
Blanc, Noir, Vert Antique




**ZY-D1009C**  
12V 35/50W GU5.3 MR16  
220V  
IP65



**ZY-D1010**  
12V 35/50W GU5.3 MR16  
12V 50W MR16  
GU10 50W  
IP65



**ZY-D1011D**  
\*12V 35/50W GU5.3 MR16  
\*LED 220V BLANC  
IP65





4021

Aluminium die-casting body,  
Stainless steel cover  
Tempered glass diffuser  
Plastic recess housing included  
IP67 230V 50Hz  
GU10 max 35W/ MR16 50W



Aluminium die-casting body,  
Stainless steel cover  
Tempered glass diffuser  
Plastic recess housing included  
IP67 230V 50Hz  
GU10 max 35W/ MR16 50W



4031



Aluminium die-casting body,  
Stainless steel cover  
Tempered glass diffuser  
Plastic recess housing included  
IP67 230V 50Hz  
E27 max 60W



4041



**ZY-DL1501**  
220V-50Hz  
1x10W LED COB  
3000K - 6500K  
IP65/IP67



**ZY-DL0053B**  
220V-50Hz  
1x1W LED COB  
3000K - 6500K  
IP65/IP67



**ZY-D1501**  
220V-50Hz  
1x9W LED  
3000K - 6500K  
IP65/IP67



**ZY-D1702**  
220V-50Hz  
1x12W LED  
3000K - 6500K  
IP65/IP67



**ZY-J23A**  
220V-50Hz  
1xAW LED COB  
3000K - 6500K  
IP54



**ZY-J23B**  
220V-50Hz  
1xAW LED COB  
3000K - 6500K  
IP54





ZY-D2001A  
E27



REF : ZY-BXO024  
12V 35/50W GUS.3 MR16  
LED 12/24/220V  
IP68




REF : LP-2503002  
220-240V/50HZ  
3X1W LED 6500K




ZY-DL1801B  
power:COB 18W  
1500LM  
IP67



4085



Die-Cast Aluminium body  
Diffuser : PC  
IP67 230V 50Hz  
9x1W LED Ra > 80  
520 LM With ERP



858R GU10 max 35W



Die-Cast Aluminium body  
Diffuser : PC  
IP67 230V 50Hz  
12x1W LED Ra > 80  
760 LM With ERP



4086



1131-A



1133-A




Aluminium die-casting body  
Diffuser : PC  
IP54 230V 50Hz  
3 x 1W CREE LED  
GU10 1 x 35W



IP54

Aluminium die-casting body  
Diffuser : PC  
IP54 230V 50Hz  
3 x 1W CREE LED  
GU10 1 x 35W



IP54



1131




1133

REF : ZY-S1003A

E27 PAR38

PLE-C 9W

IP64



REF : ZY-S1004K

E27 PAR38

PLE-C 9W

IP64




4071



12-LED




4074



15-LED




4077



15-LED

Aluminium die-casting body  
Stainless steel cover, Glass diffuser  
IP54 230V 50Hz  
LED 0,06W (different color available)



4091



4051



4053




4054



4061




4063



12-LED  
S



4066




9-LED  
S




**LED**

**KG Lighting**  
L'ère du luminaire

**REF. ZY-J07A**  
LED Blanc / Bleu  
Rouge/ Jaune 230V IP54




**REF. ZY-J07B**  
LED Blanc / Bleu 230V IP54




**REF. ZY-J07D**  
12 LED Blanc / Bleu/Jaune  
Rouge/Blanc 230V IP54  
**REF. ZY-J07D Gris**  
100.2W LED  
3000K/6500K 230V IP54



**REF. ZY-J11B**  
12 LED Blanc/Blau  
Jaune 230V IP54




**REF. ZY-J08A**  
LED Blanc/Bleu  
Jaune 230V IP54




**REF. ZY-J11A Gris**  
100.2W LED LED  
3000K/6500K 230V IP54  
**REF. ZY-J11A**  
12 LED SMD  
230V IP54



**REF. ZY-J08D**  
12 LED Blanc/Bleu  
Jaune 230V IP54



**REF. ZY-J08C**  
LED Blanc/Bleu  
230V IP54



Luminaire  
résidentiel et urbain



Réf : 2220A E27


**Puissance**

Sodium haute pression 150W Maxi  
 Iodure Métallique 150W Maxi  
 Lampe LED 45 W Maxi

Tension nominale	220-240V/50Hz
Câble	E27/E40/G12
Degré de protection	IP65
Classe électrique	1
Diamètre du tuyau	76mm/60mm
Hauteur d'installation	3.0-4.0m
poids net	3.92kg

**Applications :**

des places et des zones de piéton, les parcs, les routes urbaines et les rues résidentielles, parkings



Réf : 2300 E40

**Puissance**

Sodium haute pression 150W Maxi  
 Iodure Métallique 150W Maxi  
 Lampe LED 45 W Maxi

Tension nominale	220-240V/50Hz
Câble	E27/E40/G12
Degré de protection	IP65
Classe électrique	1 ou 2
Diamètre du tuyau	76mm/60mm
Hauteur d'installation	3.0-4.0m
poids net	6.00kg

**Applications :**

des places et des zones de piéton, les parcs, les routes urbaines et les rues résidentielles, parkings



Réf : 2650 Glass

**Puissance**

Sodium haute pression 150W Maxi  
 Iodure Métallique 150W Maxi  
 Lampe LED 60W Max

Tension nominale 220-240V/50Hz

Color E27/E40/G12

Degré de protection IP66

Classe électrique 1 ou 2

Diamètre du tuyau 76mm

Hauteur d'installation 3,0-10,0m

poids net 8,50kg

**Applications :**

des places et des zones de piéton, les parcs, les routes urbaines et les rues résidentielles, parkings.



Réf : 2650

**Puissance**

Sodium haute pression 150W Maxi  
 Iodure Métallique 150W Maxi  
 Lampe LED 60W Max

Tension nominale 220-240V/50Hz

Color E27/E40/G12

Degré de protection IP66

Classe électrique 1 ou 2

Diamètre du tuyau 3/4" (M26)

Hauteur d'installation 3,0-10,0m

poids net 7,30kg


**Applications :**

des places et des zones de piéton, les parcs, les routes urbaines et les rues résidentielles, parkings.



POST-TOP  
 On a 3/4" male  
 threaded  
 post-top, secured by a  
 counter-nut





Réf : RAL9007



***elecmar***

Electrical - Lighting - Security Systems

**Show-room Maârif**

22, Rue Ben Jilali Taj-Eddine Maârif, 20370 Casablanca

Tél. : (212) 522 237 302 (L.G)

Fax.: (212) 522 990 929

**Show-room Route Médicouna**

Km 7 Route Médicouna, 29490 Casablanca

Tél. : (212) 522 970 200 (L.G)

Fax.: (212) 522 970 668

Email : [elecmar@elecmar.ma](mailto:elecmar@elecmar.ma) - Site Web : [www.elecmar.ma](http://www.elecmar.ma)

